The CLINICIAN

SUMMER 2025 | VOL. 56, NO. 2

THE NEWSLETTER OF THE NEW YORK STATE SOCIETY FOR CLINICAL SOCIAL WORK

IN THIS ISSUE

1, 16-39
Clinical Focus on Aging
Seven In-Depth Articles

4
Mentorship

5
ACE Courses

6
Student Scholarships

10
Chapter News

14
Book Review
Treating Trauma

15
Podcast: *What Would Dr. Meyers Do?*

32
Orca Grandmothers

44
Symposium Review
Self-Directed Neuroplasticity

www.nysscsw.org

The Neurobiology of Aging:

Clinical Wisdom, Psychodynamic Depth, and the Adaptive Mind

By Inna Rozentsvit, M.D., Ph.D.

There is an undeniable vulnerability that comes with aging—the aching joints, the fraying memory, the growing awareness of mortality. But there is also another, less discussed truth: aging brains can remain astonishingly adaptive. Consider Eric R. Kandel, the Nobel Prize-winning neuroscientist, who continues publishing and lecturing well into his 90s. Or Martin Bergmann, the psychoanalyst and Holocaust survivor, who was still leading analytic seminars past his 100th birthday. William Edward Burghardt Du Bois, American sociologist and Pan-Africanist civil rights activist, who was active until his death at 95. Winston Churchill, British prime minister, who died at 90, and who did not retire from politics until the age of 89.

CONTINUED ON PAGE 16

"The concept of neuroplasticity, once thought limited to childhood, is now recognized as a lifelong capacity for the brain to change."

On Aging

16 **Neurobiology of Aging**
22 **Treating an Aging Patient**
26 **Aging Along with Adam**
29 **Clinical Work with Older Adults**
33 **Aging? I Refuse!**
36 **Professional Care Management**
39 **Considerations of Late Life Paradoxes**

The Neurobiology of Aging:

Clinical Wisdom, Psychodynamic Depth, and the Adaptive Mind

CONTINUED FROM PAGE 1

Dr. Inna Rozentsvit, M.D., Ph.D., MSciEd, MBA, is a neurologist and neurorehabilitation specialist trained in psychoanalysis, as well as an educator and neuropsychoanalytic researcher. She serves as the scientific faculty member and programs director at the Object Relations Institute for Psychotherapy and Psychoanalysis (ORI). She is also the founder and the executive director of the Neurorecovery Solutions, Inc., a non-profit organization supporting neurologically impaired individuals and their families.

Dr. Rozentsvit is the founder and serves as an editor-in-chief of the ORI Academic Press, MindMend Publishing Co., and *MindConsiliums*, a peer-reviewed interdisciplinary journal. She is also the founder of the MindMend Media, Inc., an associate editor of Clio's Psyche, and a co-director of the Psychohistory Forum.

inna.rozentsvit@gmail.com

www.innarozentsvit.com

We must also highlight women whose longevity combines mental sharpness with public impact. Melchora Aquino de Ramos, known as 'Tandang Sora,' who played a key role in the Philippine Revolution at an older age. She died at 107 years of age. Ruth Bader Ginsburg, who served on the U.S. Supreme Court into her late 80s, worked through cancer treatments while writing landmark decisions. Edith Eger, the Holocaust survivor and psychologist, published bestselling books in her 90s, still teaching and mentoring others. These individuals didn't simply "age well"—they aged *actively*, exemplifying a form of neural and emotional agility rooted in purpose, discipline, and social contribution.

The Aging Brain: Vulnerable Yet Plastic

The aging process entails biological changes—shrinking hippocampal volume, slower synaptic transmission, and loss of white matter integrity (Raz et al., 2005). Memory and executive function often decline, particularly under chronic stress or social disconnection (Lupien et al., 2009). However, aging is not synonymous with irreversible cognitive deterioration. The concept of neuroplasticity, once thought limited to childhood, is now recognized as a lifelong capacity for the brain to change (Park & Reuter-Lorenz, 2009).

Indeed, fMRI studies show that older adults engage bilateral hemispheres to compensate for age-related losses—a model known as HAROLD (Hemispheric Asymmetry Reduction in Older Adults) (Cabeza et al., 2002). Aging brains adapt by recruiting more diffuse neural networks to solve problems, process emotions, and maintain function—in other words, they are using the wisdom function.

Abstract

Aging is often associated with decline, yet contemporary neuroscience, psychodynamic theory, and clinical experience paint a more nuanced picture—one of adaptability, resilience, and meaning-making. This article explores how aging brains remain dynamic through neuroplasticity, how psychodynamic processes evolve across the lifespan, and how clinicians can apply integrative therapeutic strategies to support emotional depth and cognitive agility. Drawing from empirical research and lived examples, it offers a multidimensional framework for helping older adults flourish, despite biological vulnerability, mortality, and sociopolitical fragmentation.

KEYWORDS: *aging, clinical work, longevity, neurobiology, neuroplasticity, Oliver Sacks, psychodynamic*

Memory: Decline or Reorganization?

Memory changes with age, but it doesn't simply "decline." Rather, different systems, like episodic, semantic, procedural—age differently. Semantic memory (general knowledge and vocabulary) often improves with age, while episodic memory (events, time-bound details) becomes less reliable (Nyberg et al., 2012). Emotional memory remains robust, particularly for meaningful experiences.

The hippocampus and prefrontal cortex are most affected by aging, yet their deterioration can be slowed or partially reversed with cognitive engagement, aerobic

activity, and social interaction (Erickson et al., 2011). Memory training programs have shown durable improvements in older adults, especially when they include novel and meaningful content (Rebok et al., 2014).

Lifelong Learning and Self-Directed Neuroplasticity

Learning is one of the most effective ways to preserve brain health. When older adults engage in cognitively demanding tasks—such as learning a language, studying music, or exploring new technology—they stimulate synaptogenesis (building new connections between neurons) and even neurogenesis (building new neurons) in the hippocampus (Draganski et al., 2006). The *Synapse Project* showed that older adults who learned complex new skills (e.g., photography or quilting) demonstrated significant improvements in memory and executive function (Park et al., 2014).

Beyond formal learning, **self-directed neuroplasticity** allows people to consciously reshape their brain activity through practices like mindfulness, goal setting, journaling, and reflective dialogue (Schwartz & Begley, 2002). These techniques stimulate the prefrontal cortex and reinforce neural pathways that regulate mood, decision-making, and memory (Hölzel et al., 2011; McGaugh, 2015).

Mortality and the Therapist's Role

Aging invariably brings proximity to loss. For patients and clinicians alike, this can stir existential fear. Therapists may avoid discussing death for fear of their own emotional vulnerability. Yet, openly confronting mortality can lead to deeper integration and vitality (Yalom, 2008). Questions like "What legacy matters now?" or "What remains unfinished?" shift the narrative from decline to meaning-making.

Reflecting on legacy and mortality evokes the memory of neurologist Oliver Sacks, who, when asked during a 1989 *MacNeil/Lehrer NewsHour* interview how he wished to be remembered 100 years from now, replied:

"I would like it to be thought that I had listened carefully to what patients and others have told me, that I've tried to imagine what it was like for them, and that I tried to convey this. And to use a biblical term, the feeling, 'he bore witness.'"

In his later years, Dr. Sacks reflected deeply on aging, mortality, and the meaning of life, concerns he explored in his final works, *Gratitude* and his final published essay, "Sabbath." His writings emphasized the importance of aligning medical care with individual values and preserving dignity in the face of decline. Rather than distancing science from the human experience, Sacks demonstrated how the two can be integrated. His legacy continues to influence the fields of medicine, psychotherapy, and public discourse on aging by modeling a compassionate, reflective, and person-centered approach to care.

Many women outlive their male partners and face aging in female-dominated social groups. These communities often offer rich opportunities for emotional support, shared experiences, and mutual caregiving—whether through gardening clubs, museum outings, family gatherings, or lunch dates with friends. Women, on average, maintain more robust social networks into old age and often report greater satisfaction in relational life compared to men.

From a neurobiological perspective, research on brain connectomes suggests that female brains tend to integrate emotional, cognitive, and social information more fluidly, supporting adaptive responses across varied life contexts (Ingalhalikar et al., 2014). In contrast, male brain networks tend to be more modular and task-focused, which may partly explain the steeper decline some men face post-retirement or in the absence of clearly defined roles. Therapists can help older clients (especially men) anticipate and adapt to these transitions and support older women in leveraging the strengths of their social ecosystems while also encouraging autonomy, growth, and continued purpose.

Many older adults also transition to assisted living or long-term care communities. The impact of this transition often depends on the individual's prior mindset and life experience. Those who enter these environments with a sense of agency and openness often continue to thrive, forming new friendships, participating in structured activities, and maintaining cognitive vitality. Others, however, may experience a passive shift into the role of "patient," becoming more dependent and disengaged.

One compelling lens into the emotional and existential dimensions of assisted living comes from Howard F. Stein, a psychoanalytically informed medical anthropologist and poet. Now residing in an assisted living facility, Stein has composed a series of poignant poems that bear witness to the textures of daily life—from institutional meals to glimpses of autumn leaves through lobby windows. His collection, *The Quiet Resistance*, chronicles not despair, but defiant presence. In "Patch of Autumn Red," Stein writes of taking pleasure in a mere sliver of fall foliage, "an accidental act of defiance." His work stands as a quiet counter-narrative to cultural scripts that equate assisted living with resignation. Through poetry, Stein affirms that dignity, creativity, and reflection can persist, even within institutional walls. The full poem, "Patch of Autumn Red," appears in the appendix as a literary witness to these themes.

CONTINUED ON PAGE 18

Therapists can support clients in navigating this transition by reinforcing identity, encouraging meaningful participation, and helping them preserve a sense of dignity, choice, and purpose in their daily lives.

Social Fragmentation, Loneliness, Echo Chambers, and the Illusion of Support

In today's polarized world, the need for belonging can drive older adults into ideologically charged "support" spaces that reinforce despair or fear. Chronic exposure to such narratives may increase rumination and stress. Neuroimaging studies show that group conformity activates brain reward circuits, even when contradicting personal beliefs (Campbell-Meiklejohn et al., 2010).

At the same time, many older adults suffer from profound loneliness and social isolation—factors that have been linked to increased risk for depression, cognitive decline, and even premature death (National Academies of Sciences, Engineering, and Medicine [NASEM], 2020). Loneliness has been shown to activate stress-related neural circuits and increase inflammatory markers, creating a neurobiological cascade that can worsen both emotional and physical health.

Therapists should validate clients' feelings while encouraging engagement beyond echo chambers. This includes structured social environments that promote reciprocal connection, creative collaboration, and shared meaning-making—spaces that offer genuine support without reinforcing polarization or hopelessness.

The COVID-19 pandemic made the devastating consequences of social isolation painfully visible in older adults. Restrictions in long-term care facilities meant that many residents died without the presence of loved ones. The absence of physical touch and human contact during the final days of life not only compounded emotional suffering but likely had physiological impacts as well, given the well-documented relationship between stress, immune function, and inflammation. These tragedies underscore the critical role of social connection in both quality of life and neurobiological resilience.

Emotional Manipulation and Financial Scams: Recognizing the Hidden Triggers

As older adults face social isolation and cognitive decline, they become prime targets for scams, ranging from fake IRS calls and romance fraud to online phishing and "grandparent" emergencies. These schemes exploit not only diminished executive functioning but also the emotional hunger for connection, reassurance, or control.

A common tactic in the "grandparent scam" involves invoking urgent emotional scenarios, such as a grandchild in danger or jail, and deliberately bypassing parents to confer a false sense of special responsibility and agency on the grandparent. Similarly, romance scams often exploit older adults' hope for love and companionship, offering narratives of new beginnings and shared futures. Investment scams, meanwhile, often appeal to an older adult's wish for independence and security, especially for those living on fixed incomes or retirement savings. These scams may promise lucrative returns or exclusive opportunities, preying on fears of outliving one's resources or becoming a burden.

Neuropsychological studies have shown that aging brains often exhibit reduced activation in areas responsible for risk evaluation, particularly the prefrontal cortex, increasing susceptibility to deception (Spreng et al., 2016). Moreover, scammers deliberately use emotional manipulation to bypass logical thinking and trigger stress responses and urgency.

Clinicians can play a preventive role by helping clients build digital literacy, recognize red flags, and reduce isolation. AARP and the FBI both maintain resources to help educate and protect older adults. Therapists should routinely assess for signs of exploitation—financial, emotional, or otherwise—as part of holistic care.

Rethinking the Pill Paradigm: Aging Beyond the Biomedical Model

Mainstream aging often emphasizes symptom management through pharmaceuticals and surgeries. While some medical interventions are necessary and life-extending, there is a growing tendency to seek quick fixes, especially for pain, fatigue, or existential discomfort, through invasive procedures or multiple medications. Older adults may undergo surgeries that offer little long-term benefit or even result in complications such as delirium, cognitive

> “Neurons that fire together, wire together… Engaging in pleasurable activities can reinforce emotional well-being. [They] stimulate the brain’s reward system, supporting motivation and vitality. This is a buffer against becoming the stereotypical “grumpy old man or woman” and instead fosters emotional flexibility and joy in aging.”

decline, or loss of independence. Chronic polypharmacy, too, increases the risk of adverse drug interactions and impaired mental functioning (Maher et al., 2014).

This biomedical approach frequently overlooks the inner life of patients. Physical symptoms may mask psychological or existential distress that remains unaddressed. Depression, for instance, heightens risk for both dementia and cardiovascular disease (Ownby et al., 2006). Meanwhile, a growing body of research in placebo studies reveals how the brain’s belief systems can initiate real physiological improvements. The placebo effect, long dismissed as incidental, is now seen as evidence of the mind’s power to influence outcomes, particularly in pain management and chronic conditions (Benedetti, 2008).

Notably, placebo-controlled trials in surgical contexts have demonstrated that many common procedures provide little benefit beyond what could be achieved through expectation and belief. The ASPIRE guidelines (Beard et al., 2020) emphasize that placebo effects in surgery can be substantial and ethically justify the inclusion of placebo arms in trials where surgical efficacy is uncertain.

A compelling case is that of Dr. John Sarno, who treated at RUSK/NYU thousands of patients with chronic back pain through a psychosomatic lens. His theory of Tension Myoneural Syndrome (TMS) posited that emotional repression contributed to physical pain. By helping patients confront unconscious emotional conflicts rather than undergoing surgeries, Sarno reported significant improvements. Although not widely accepted in mainstream medicine, his work underscores the power of narrative, emotional processing, and belief in healing.

Clinicians can offer a deeper, integrative approach that considers how illness reshapes identity and meaning. Encouraging patients to explore their suffering in relational, symbolic, and neurobiological terms allows for more comprehensive healing and often avoids unnecessary medicalization of the aging process—restoring the human story behind the symptom.

What the Longest-Lived People Share

Studies of centenarians reveal common traits: strong social ties, physical activity, plant-rich diets, spiritual or religious engagement, and a sense of purpose (Buettner, 2012). Physiological resilience, the body’s ability to recover from stress, is a more accurate predictor of longevity than age itself (Pyrkov et al., 2021).

From a neurobiological perspective, the neurobiological phenomenon “use it or lose it” reflects the reality that cognitive and emotional engagement help preserve neural function. When individuals cease learning, pursuing hobbies, or engaging in meaningful conversations, brain circuits may weaken or atrophy, accelerating decline. Conversely, when people maintain active mental lives, they reinforce synaptic strength and adaptability.

Longitudinal twin studies have further shown that even among individuals with genetic predispositions for Alzheimer’s disease, those who pursued higher levels of education, such as an additional four years of college, developed symptoms of dementia nearly a decade later than their genetically identical counterparts who did not engage in similar learning activities (Gatz et al., 2006). This underscores how environmental enrichment and continued intellectual engagement can buffer against genetic risk.

Another key mechanism, “neurons that fire together, wire together,” demonstrates how engaging in pleasurable activities can reinforce emotional well-being. Enjoyable practices stimulate the brain’s reward system, supporting motivation and vitality. This is a buffer against becoming the stereotypical “grumpy old man or woman” and instead fosters emotional flexibility and joy in aging.

Women tend to live longer, often due to hormonal, behavioral, and relational factors. However, men may experience steeper declines if they are unprepared for retirement or dependency. Therapeutic work should address these gendered patterns and support both men and women in building new adaptive frameworks.

CONTINUED ON PAGE 20

CLINICAL GUIDELINES: SUPPORTING AGILITY AND DEPTH

1. Honor Mortality

Invite reflection on legacy, grief, and unfinished tasks. Encourage conversations about meaning, not only at the end of life but throughout the aging process, to help patients face existential fears with agency rather than avoidance.

2. Foster Purpose and Engagement

Encourage volunteering, mentoring, and new learning. Purposeful activity supports identity continuity and stimulates neural engagement, counteracting both apathy and social withdrawal.

3. Teach Neuroplasticity Practices

Recommend journaling, mindfulness, and cognitive training. These activities reinforce adaptive neural pathways and can improve emotional regulation, memory, and executive functioning over time.

4. Challenge Echo Chambers

Validate group support while promoting individual perspective. Support clients in finding spaces for connection that also allow for cognitive flexibility and constructive discourse, rather than reinforcing grievance or despair.

5. Support Physical Vitality

Encourage movement, nutrition, and sleep as foundations for cognitive and emotional resilience. Regular physical activity—whether walking, dancing, gardening, or gentle yoga—supports hippocampal function, enhances neurogenesis, and reduces inflammation. Nutritional interventions, such as Mediterranean or plant-forward diets, have been linked to improved cognitive outcomes and reduced risk of neurodegenerative disease. Sleep hygiene is equally essential: even mild sleep deprivation can impair memory consolidation and executive functioning. Therapists can reinforce these self-care practices not just as medical advice, but as acts of agency that strengthen mind-body integration and support autonomy in the aging process.

6. Embrace Integrative Care

Advocate for a holistic view that bridges physical, emotional, and cognitive health. Collaborate with other providers when possible and explore how psychosomatic factors may underlie or exacerbate physical symptoms.

CONCLUSION: A Reflective Aging

Aging well means more than avoiding illness; it means cultivating meaning, curiosity, and connection in the face of loss.

The aging brain, though vulnerable, retains a remarkable capacity for change. Our clinical work can help patients harness this capacity—not just to survive, but to flourish. As therapists, we do not merely accompany decline; we help author new chapters of transformation.

Appendix: A Poetic Witness to Aging

The following poem by Howard F. Stein, medical anthropologist and poet, offers a personal and lyrical reflection on institutional aging. Composed during his residence in an assisted living facility, it embodies the quiet resistance, emotional subtlety, and retained personhood that this article seeks to explore. Included here with permission, the poem serves as a literary lens into the inner world of late-life transitions.

Patch of Autumn Red

By Howard F. Stein

As I sat in the back
Of the spacious lobby
Of my old folks' home,
I saw through the front window
A patch of red leaves
On an otherwise green tree.
A surge of thrill drew me
To walk outdoors towards
This curious, welcome sight.
Except for this
Mysterious red splotch,
The three landscaped,
Manicured trees along
The entrance of the
Old folks' home,
Behaved as if summer
Still reigned here, though
The time in Oklahoma
Was late November.
The building complex sat
Far from tree-lined neighborhoods,
City parks, and still-wild swaths
Of trees, bushes, and grasses
That trumpeted the oranges,
Yellows, browns, and
Occasional reds of autumn.
Except for cool, brisk air
And early sunset,
I would not have known
The season had changed.

Only car outings
To doctors' offices
And a few visits
To my son's home
Provided me a link
To the crazy quilt city
And the earthy world
Of Oklahoma red dirt
I had known before
A rupture in my life
Brought me here.
For my family,
My kinship with the world
Carried far less freight
Than my supposed
Safety and health.
My protests futile,
I dwell where old people
In the way are placed –
So our kinfolk can now
Thrive by our absence.
Am I content with
This mere tincture of fall
In a red patch of leaves
Outside the lobby window?
No . . . but I take pleasure
In this accidental act
Of defiance of those
Who would deny me
The slightest glimpse
Of autumn at all.

REFERENCES ON PAGE 47